

57131-2

6/5/2014

1/12

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460



OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Chris Bluemke
Regulatory Manager
Eau Claire Co-Op Oil Company
PO Box 837
Eau Claire, WI 54702

JUN 05 2014

Subject: Label Notification per PRN 98-10 – Add alternate brand name, change trademark rights and correct typographical errors
Product Name: Acelepryn® Insecticide Plus AWARD Turf Fertilizer
EPA Registration Number: 57131-2
Application Date: 5/23/2014
Decision Number: 491801

Dear Mr. Bluemke,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The Agency acknowledges the following label changes:

1. Addition of the alternative brand name AWARD® Turf Fertilizer with 0.067% Acelepryn® Insecticide
2. Typographical error corrections
3. Change of trademark rights

The label submitted with the application has been stamped "Notification" and will be placed in our records. If you have any questions, you may contact Jacquelyn Marchese at (703) 347-0559 or via email at marchese.jacquelyn@epa.gov.

Sincerely,

Jacquelyn Marchese, Entomologist
Insecticide-Rodenticide Branch
Registration Division (7505P)
Office of Pesticide Programs

EPA	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
------------	---	---	-----------------------

Application for Pesticide -Section I

1. Company/Product Number 57131-2	2. EPA Product Manager Venus Eagle	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Acelepryn® Insecticide Plus AWARD Turf Fertilizer	PM# 1	
5. Name and Address of Applicant (Include ZIP Code) Chris Bluemke PO Box 837 Eau Claire, WI 54702 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition to the product identified in the NOTIFICATION EPA Reg. No.: Product Name:	

NOTIFICATION
JUN 05 2014

Section II

<input type="checkbox"/> Amendment - Explain Below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below	<input type="checkbox"/> Other - explain below

Explanation: Use additional page(s) if necessary. (For Section I and Section II).

Notification of alternate brand name of AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide, correction of typographical errors, change of trademark rights on label as noted in cover letter and on submitted labeling. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No <i>*Certification must be submitted.</i>	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes," Unit Package Wt. No. Per Container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes," Package Wt. No. Per Container	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other <input type="checkbox"/> Paper Glued <input type="checkbox"/> Stenciled			

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Chris Bluemke	Title Regulatory Manager	Telephone No. (Include Area Code) 715-876-6422
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 		3. Title Regulatory Manager
4. Typed Name Chris Bluemke		5. Date May 23, 2014

4/12

[Front panel of bag]

Acelepryn® Insecticide Plus AWARD® Turf Fertilizer
[Alternate Brand Names: AWARD® Turf Fertilizer with 0.067%
Acelepryn®] [AWARD® Turf Fertilizer with 0.067% Acelepryn® Insecticide]

For systemic control of white grubs and other listed pests infesting landscape and recreational turfgrass (including golf courses) as well as landscape ornamentals, interior plantscapes and sod farms.

Not for Sale, Sale Into, Distribution and/or Use in Nassau, Suffolk, Kings, Queens Counties of New York State.

ACTIVE INGREDIENT:

Chlorantraniliprole*	
3-Bromo-N-[4-chloro-2-methyl-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide.....	0.067%
OTHER INGREDIENTS:	99.933%
TOTAL	100.000%

*Chlorantraniliprole belongs to the anthranilic diamide chemical class.

EPA Reg. No. 57131-2

EPA Est. No. 57131-WI-1

[Guaranteed fertilizer analysis using standard format for fertilizers]

Guaranteed Fertilizer Analysis	
Nitrogen.....	XX
Phosphate.....	XX
Potash.....	XX

KEEP OUT OF REACH OF CHILDREN

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail)

Refer to back of bag for additional Precautionary Statements, First Aid and Directions for Use.


Eau Claire CO-OP Oil Company
PO Box 837
Eau Claire, WI 54702

Non-refillable Container

Net Weight:

NOTIFICATION

JUN 05 2014



[Back panel of bag or front continued]

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION! Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID

If In Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
--------------------	---

Hot Line Number: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-xxx-xxxx for emergency treatment information.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

After the product has been loaded into properly calibrated application equipment, shirt, pants, socks, and shoes are sufficient Personal Protective Equipment. Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from laundry.

USER SAFETY RECOMMENDATIONS

USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates, oysters and shrimp. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to use sites.

Surface Water Advisory: This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having a high potential for reaching surface water via runoff for several months or more after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of chlorantraniliprole from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

Ground Water Advisory: This chemical has properties and characteristics associated with chemicals detected in ground water. This chemical may leach into ground water if used in areas where soils are permeable particularly where the water table is shallow.

6/12

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and understand the entire label before using this product.

Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®] [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [This product] must be used only in accordance with specifications on this label or in separate supplemental labeling that may be made temporarily available through Eau Claire Co-op Oil Co., as a result of new EPA approvals.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment, restricted-entry interval, and notification to workers (as applicable).

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours. For early entry into treated areas that is permitted under the Worker Protection Standard and that involve contact with anything that has been treated, such as plants, soil, or water, wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides, 40 CFR part 170. The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

Professional applications to golf courses, residential, industrial and commercial lawns and sports fields are not within the scope of the Worker Protection Standard.

Do not allow other workers to enter the treated area while application is in progress.

PRODUCT INFORMATION

Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®] [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] may be applied for the control of white grubs and other listed pests infesting landscape and recreational turfgrass (including golf courses) as well as landscape ornamentals and interior plantscapes.

Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®] [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [This product] may be used on plants or on turfgrasses that are being grown for aesthetic or recreational purposes or climatic modification in or around home lawns, commercial lawns, industrial facilities, residential dwellings, business and office complexes, shopping complexes, multifamily residential complexes, institutional buildings, airports, cemeteries, interior plantscapes, ornamental gardens, parks, wildlife plantings, playgrounds, schools, day-care facilities, golf courses (tee box areas, roughs, fairways, greens, collars, etc.), athletic fields, sod farms and other landscaped areas.

Do not apply Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®] [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [this product] when the soil is saturated with water because adequate distribution of the active ingredient vertically in the soil profile cannot be achieved under this condition.

Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®] [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [This product] is in GROUP 28 of the EPA's Insecticide and Acaricide Groups Based on Target Site of Action (EPA PR Notice 2001-5) and may be used in rotational resistance management programs. Consult your local Eau Claire Coop Oil Co. products representative, Cooperative Extension Service specialist or pest control advisor for regionally specific information regarding application timing.

APPLICATION EQUIPMENT

Apply Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®] [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [this product] with drop-type, rotary-type or hand-held application equipment. The application equipment must be properly calibrated according to the manufacturer's directions to ensure uniform coverage over the treated area. During application, check equipment periodically to confirm that it is working properly and that the granules are being uniformly distributed. See Granules Spreader Settings Section.

APPLICATION TIMING

White Grubs: Apply Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®] [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [this product] from early April to early September for preventative and early curative control of all of the major white grub species infesting turfgrass. The need for an application may be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. The higher rate listed for white grub control in Table 1 may be required [for early season (April and May) applications where a long residual is required] or in late August or early September when less sensitive mid-instar grubs are present at the time of application. Irrigate turf immediately after application or allow rainfall to move the product into the soil.

Annual Bluegrass Weevil: Apply Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®] [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [this product] when overwintered adult annual bluegrass weevils are observed in late April or early May to prevent damage from first generation larvae in late-May and June. An application of Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with

0.067% Acelepryn®) [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [this product] at this time will also provide white grub control. The higher rates listed in Table 1 may be required for applications made after mid-May.

Billbugs: Apply Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®) [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [this product] when overwintered adult billbugs are first observed. This will usually occur in late April or early May in regions with cool-season turfgrasses. An application at this time will also provide white grub control. The higher rates listed in Table 1 may be required for applications made after early May or when billbug species other than bluegrass billbug are present.

European Crane Fly: Apply Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®) [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [this product] between September and November to control European crane fly larvae in turfgrass. The higher rate listed in Table 1 may be required to achieve control when applications are made in November.

Spittlebugs: Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®) [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [This product] will provide control of two-lined spittlebug when applications are made in spring or summer.

Turf Caterpillars: Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®) [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [This product] will provide curative caterpillar control in turfgrass. If the area being treated is maintained at a mowing height of greater than one inch, then the higher rate listed in Table 1 may be required during periods of high pest pressure.

Chinch Bugs: For suppression of chinch bugs, apply Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®) [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [this product] before eggs hatch.

APPLICATION RATES FOR LAWNS, GOLF COURSES AND OTHER RECREATIONAL TURFGRASS AREAS, INCLUDING SOD FARMS.

Table 1 provides the application rates that will control the listed turfgrass pests. For maximum residual effectiveness or for optimal control of large pest infestations, apply Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®) [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [this product] at up to 500 pounds per acre (0.33 lb. A.I. / A) to control any of the pests listed in Table 1.

TABLE 1: TURFGRASS APPLICATION RATES

Target Pest	Product per Acre	Product per 1,000 sq. ft.	Lb. A.I. per Acre
White Grubs (including <i>Aphodius</i> spp., Asiatic garden beetle, Black turfgrass ataenius, European chafer, green June beetle, Japanese beetle, May/June beetles (<i>Phyllophaga</i> spp.), northern masked chafer, oriental beetle and southern Masked chafer)	150 to 300 pounds	3.44 to 6.88 pounds	0.1 to 0.2
Billbugs			
European Crane Fly			

Turf caterpillars,(including armyworms, cutworms and sod webworms)			
Annual bluegrass weevil	225 to 300 pounds	5.17 to 6.88 pounds	0.15 to 0.2
Spittlebugs			
Chinch bugs (suppression only)	150 to 300 pounds	3.44 to 6.88 pounds	0.1 to 0.2

APPLICATION RATES FOR ORNAMENTAL PLANTS

TABLE 2 provides the application rates that will control the pests of landscape ornamentals and interior plantscapes. Before application, remove black plastic or other weed barrier materials that are impermeable to water. For maximum residual effectiveness or for optimal control of large pest infestations, Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®] [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [this product] may be applied at up to 500 pounds per acre (0.33 lb A.I. per Acre) to control any of the pests listed in Table 2.

TABLE 2: ORNAMENTAL TREE & SHRUB (INCLUDING EVERGREENS), FLOWER, FOLIAGE PLANTS AND GROUNDCOVER APPLICATION RATES

Target Pest	Product per Acre	Product per 1,000 sq. ft.	Lb. A.I. per Acre
White Grubs (Asiatic garden beetle, European chafer, green June beetle, Japanese beetle, May/June beetles (Phyllophaga spp.), northern masked chafer, oriental beetle and southern Masked chafer)	150 to 300 pounds	3.44 to 6.88 pounds	0.1 to 0.2

SPREADER SETTINGS

(To apply at 4 lbs. per 1000 sq. ft.)

Lesco Rotary	F-G
Prizelawn CB Rotary	4
Spyker 24-22	4
Earthway 2400 Rotary	17
Scotts R8A	1
Lely Broadcast	3.4

[Following are optional referral statements for Florida BMP information sources]

[In the State of Florida, it is recommended that the user of this product follow the Green Industries and Golf Course Best Management Practices Found at:

http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP_Book_final.pdf

<http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf>]

CLEANING APPLICATION EQUIPMENT

Thoroughly clean all application equipment after use to reduce the risk of forming hardened deposits that might become difficult to remove. Thoroughly rinse application equipment with clean water. Clean all other associated application equipment. Take all necessary safety

precautions when cleaning equipment. Do not clean equipment near wells, or other water sources. Dispose of waste rinse water in accordance with local regulations.

INTEGRATED PEST MANAGEMENT (IPM) PROGRAMS

Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®] [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [This product] is recommended for IPM programs on turf and landscape ornamentals because it does not directly impact natural arthropod predator and parasitoid populations including ladybird beetles, lacewings, minute pirate bugs and predatory mites. The feeding behavior of beneficial arthropods will aid in extending natural control of other insect and mite pests and will reduce the possibility of secondary pest outbreaks. Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®] [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [This product] will reduce the target pest species that may serve as a food source for beneficial arthropods.

RESISTANCE MANAGEMENT

Some insects are known to develop resistance to products used repeatedly for control. When this occurs, the labeled dosages fail to suppress the pest population below threshold levels. Because the development of resistance cannot be predicted, the use of this product should conform to resistance management strategies established for the use area. These strategies may include incorporation of cultural and biological control practices, alternation of active classes of insecticides on succeeding generations and targeting the most susceptible life stage. Consult your Eau Claire Co-op Oil Co. representative, or a Cooperative Extension Service Specialist pest control advisor for the latest information on resistance management in your area.

RESTRICTIONS

- Not for use on plants (except turfgrass on sodfarms) being grown for sale or other commercial use, or for commercial seed production
- Do not formulate this product into other end-use products without the written permission from Eau Claire Co-op Oil Company
- Do not apply this product in commercial nurseries and greenhouses
- Do not apply more than 750 pounds (equivalent to 0.5 lb. of active ingredient) of product per acre per year in broadcast applications to turfgrass or landscape ornamental plants
- Do not apply more than 300 pounds (equivalent to 0.2 lb. of active ingredient) of product per acre in a single application on sod farms. The maximum yearly use on lawns, golf courses, turfgrass and sod farms is 750 pounds per acre.
- Wait a minimum of 7 days to re-treat.
- Do not apply by air.
- The following restrictions are required to permit use of Acelepryn® Insecticide Plus AWARD Turf Fertilizer [AWARD Turf Fertilizer with 0.067% Acelepryn®] [AWARD Turf Fertilizer with 0.067% Acelepryn® Insecticide] [this product] in the State of New York:

Golf courses:

Greens, tee boxes: Do not apply this product within 25 feet of a water body, (lake, pond, river, stream, wetland, or drainage ditch)

Fairways: Do not apply this product within 50 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch)

All other sites: Do not apply this product within 100 feet of a water body, (lake, pond, river, stream, wetland, or a drainage ditch)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in original container only in a location inaccessible to children and pets. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Not for use or storage in or around the home.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE TO BUYER: Purchase of this material does not confer any rights under patents of countries outside of the United States. Acelepryn® and Award® are trademarks of a Syngenta Group Company.

LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read this Limitation of Warranty Before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. It is impossible to eliminate all risks associated with the use of this product. Such risks may arise from factors such as weather conditions, soil factors, off target movement, unconventional technique, presence of other materials, the manner of use, or application, or other unknown factors, all of which are beyond the control of Eau Claire Coop Oil Co., or seller. These risks can cause: ineffectiveness of product, or other unintended consequences. **WHEN YOU BUY OR USE THIS PRODUCT YOU AGREE TO ACCEPT THESE RISKS.** Eau Claire Coop Oil Co. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW EAU CLAIRE COOP OIL CO. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY TO THE EXTENT CONSISTENT WITH APPLICABLE LAW. IN NO EVENT SHALL EAU CLAIRE COOP OIL CO.**

